GESCHENKE

GIFTS

LED FLASHLIGHT & POWER BANK - PAF10W

250LM +120LM

microUSB CHARGING
You can quickly and conveniently charge your flashlight with the popular microUSB cable and any USB charger.

EXTENDABLE NIGHT LIGHT
After the telescopic slide of the flashlight housing, the user can use an additional lamp that works well as a bedside lamp, tent lighting etc.

TECHNICAL SPECIFICATIONS
Power supply: 3.7V - 4.5V DC 1200mA
Lifetime: 50,000 lighting hours, 100,000 on / off cycles
Color temperature: 6000K
Light: 1x 10W T6 LED 2x + 3W COB LED chip
Luminous flux: T6: max 250 lm; COB LED: max 120 lm
Power factor: PF > 0.4
Working temperature: -25 °C ~ + 50 °C
CRI: 90 > Ra > 80
Dimensions: 155x37x28 mm
Weight: 136 g
Power supply: built-in battery
Modes: flashlight, additional lamp, zoom.

MICROUSB CHARGING

ZOOM FUNCTION

LI-ION 18650 BATTERY (BUILT INSIDE)

NIGHT LIGHT EXTENDABLE

LED FLASHLIGHT & MULTITOOL - PAFMT

40LM

MULTITOOL
Flashlight housing has hidden multifunctional tools, such as a cross-head screwdriver, glass hammer, knife, bottle opener, seat belt scissors, scissors and a nut wrench.

LED

TECHNICAL SPECIFICATIONS
Power supply: 3x AAA battery
Lifetime: 50,000 lighting hours, 100,000 on / off cycles
Color temperature: 6000K
Light: 1x 1W LED
Luminous flux: 40 lumens
Power factor: PF > 0.4
Working temperature: -25 °C ~ + 50 °C
CRI: 90 > Ra > 80
Dimensions: 146x40x40 mm
Weight: 159 g
Light modes: zoom function, strobe
Multitool: Phillips screwdriver, glass hammer, knife, bottle opener, seat belt scissors, scissors and nut wrench.

MULTITOOL FUNCTION

FAST / RED FLASHING STROBE

ZOOM FUNCTION

3X AAA BATTERY

LED FLASHLIGHT & POWERBANK - PAFT10W

250LM

POWER BANK
The flashlight has a USB port by connecting a smartphone or other mobile device to it, you will charge your device's battery.

microUSB CHARGING
You can quickly and conveniently charge your flashlight with the popular microUSB cable and any USB charger.

LED
FLASHLIGHT & POWERBANK
250LM

platinet

TECHNICAL SPECIFICATIONS
Power supply: 4.5V DC 1200mA
Lifetime: 50,000 lighting hours, 100,000 on / off cycles
Color temperature: 6000K
Light: 1x T6 LED
Luminous flux: max 250 lm
Power factor: PF > 0.4
Working temperature: -25 °C ~ + 50 °C
CRI: 90 > Ra > 80
Dimensions: 135x35x28 mm
Weight: 135 g
Power supply: built-in battery
Modes: flashlight, zoom

POWER BANK FUNCTION

ZOOM FUNCTION

LI-ION 18650 BATTERY (BUILT INSIDE)

LED FLASHLIGHT - PAZ3W

150LM

STRAP IN THE BOX
The comfortable strap allows you to attach the flashlight to any place for easy use in demanding conditions.

ZOOM FUNCTION

3X AAA BATTERY

TECHNICAL SPECIFICATIONS
Power supply: 3x AAA
Lifetime: 50,000 lighting hours, 100,000 on / off cycles
Color temperature: 6000K
Light: 1x XPE LED 3W
Luminous flux: max 150 lm
Power factor: PF > 0.4
Working temperature: -25°C ~ + 50°C
CRI: 90 > Ra > 80
Dimensions: 133x37x24 mm
Weight: 119 g
Modes: flashlight, zoom.

Platinet PAF10W
Preis: **11,17 EURO** net   (UVP 17,99 Euro, inkl. MwSt.)
EAN: 5907595450867
VPE: 10
Lieferzeit: 1-2 Wochen

Platinet PAFMT
Preis: **11,75 EURO** net   (UVP 18,99 Euro, inkl. MwSt.)
EAN: 5907595450874
VPE: 10
Lieferzeit: 1-2 Wochen

Platinet PAFT10W
Preis: **10,78 EURO** net   (UVP 16,99 Euro, inkl. MwSt.)
EAN: 5907595450973
VPE: 10
Lieferzeit: 1-2 Wochen

Platinet PAFZ3W
Preis: **9,93 EURO** net   (UVP 15,99 Euro, inkl. MwSt.)
EAN: 5907595450966
VPE: 10
Lieferzeit: 1-2 Wochen

Bestellungen bitte an: auftragsbearbeitung@ntp-gmbh.com

Alle Preise verstehen sich zzgl. der jeweiligen gesetzlichen Mehrwertsteuer

---

Interesse an mehr?

Und hier ein Überblick über die NTP-Sortimente:
www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf

Mit freundlichen Grüßen

Rolf Olejniczak-Burkert
New-Tech-Products Handels GmbH

Phone : +49 (0) 7308 / 811 00 - 0 (Zentrale)
Fax   : +49 (0) 7308 / 811 00 - 19
www.new-tech-products.com

Nersinger Straße 14-16 • 89275 Elchingen • Germany
Sitz Ulm - HRB 4496 Amtsgericht Ulm
Geschäftsführer: Rolf Olejniczak-Burkert
UST-IDNr.: DE813398643

Sollten Sie (%Email%) diesen Email-Newsletter nicht länger wollen,
antworten Sie bitte einfach mit einem REMOVE in der Betreffzeile.